

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 1/9  
(30356400/SDS\_GEN\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## PLURACOL® 1578 POLYOL

#### Recommended use of the chemical and restriction on use

Recommended use\*: polyurethane component; industrial chemicals  
Suitable for use in industrial sector: Polymers industry; chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Canada Inc.  
5025 Creekbank Road  
Building A, Floor 2  
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Chemical family: polyol  
Synonyms: Polyether Polyol

---

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

Acute Tox.                      4 (oral)                      Acute toxicity

#### Label elements

Pictogram:

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 2/9  
(30356400/SDS\_GEN\_CA/EN)



Signal Word:  
Warning

Hazard Statement:  
H302 Harmful if swallowed.

Precautionary Statements (Prevention):  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):  
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 Rinse mouth.

Precautionary Statements (Disposal):  
P501 Dispose of contents/container to hazardous or special waste collection point.

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition / Information on Ingredients

### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
67800-94-6	>= 100.0 - <= 100.0%	Benzenediamine, ar-methyl-, polymer with methyloxirane and oxirane

## 4. First-Aid Measures

### Description of first aid measures

**General advice:**  
Remove contaminated clothing.

**If inhaled:**  
Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

**If on skin:**  
Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**If in eyes:**  
In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Immediate medical attention required.

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 3/9  
(30356400/SDS\_GEN\_CA/EN)

### **If swallowed:**

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: No hazards anticipated.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, carbon dioxide, foam

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:  
No particular hazards known.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental release measures**

### Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing.

### **Environmental precautions**

Do not empty into drains. Do not discharge into the subsoil/soil.

### **Methods and material for containment and cleaning up**

Spills should be contained, solidified, and placed in suitable containers for disposal.

---

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 4/9  
(30356400/SDS\_GEN\_CA/EN)

### 7. Handling and Storage

#### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Protect against moisture.

Protection against fire and explosion:

No special precautions necessary.

#### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Segregate from acids. Segregate from oxidants.

Suitable materials for containers: Carbon steel (Iron), Stainless steel 1.4301 (V2), High density polyethylene (HDPE), tinned carbon steel (Tinplate), glass, Low density polyethylene (LDPE), Stainless steel 1.4401

Unsuitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Storage stability:

Storage temperature: 18 - 29 °C

Protect against moisture.

The stated storage temperature is noted for health and safety in the workplace. With regard to Quality, please refer to the product specific Technical Bulletin.

### 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

#### Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

#### Personal protective equipment

##### Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

##### Hand protection:

Chemical resistant protective gloves

##### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

##### Body protection:

Standard work clothes and shoes.

##### General safety and hygiene measures:

Avoid contact with skin. Handle in accordance with good industrial hygiene and safety practice. Wear protective clothing as necessary to prevent contact. Avoid inhalation of vapours/mists. Wash soiled clothing immediately.

### 9. Physical and Chemical Properties

Form:	liquid
Odour:	of polyol
Odour threshold:	not applicable

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 5/9  
(30356400/SDS\_GEN\_CA/EN)

Colour:	amber	
pH value:	> 7.0	
Freezing point:	< 0.00 °C	
Boiling point:	> 200.00 °C ( 760.000000 mmHg)	
Sublimation point:	No applicable information available.	
Flash point:	> 176.70 °C	(closed cup)
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	470.00 °C	
Vapour pressure:	< 2.00 mmHg ( 25.00 °C)	
Density:	1.07 g/cm <sup>3</sup> ( 20 °C)	
Relative density:	1.0	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	18,600.000 mPa.s ( 25.00 °C)	
Viscosity, kinematic:	No applicable information available.	
Solubility in water:	slightly soluble	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Not an oxidizer.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 6/9  
(30356400/SDS\_GEN\_CA/EN)

### Conditions to avoid

Avoid moisture.  
Temperature: < 0 degrees Celsius

### Incompatible materials

acids, oxidizing agents, isocyanates

### Hazardous decomposition products

Decomposition products:  
Hazardous decomposition products: carbon monoxide, carbon dioxide

Thermal decomposition:  
No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### Oral

Type of value: LD50  
Species: rat  
Value: 500 - < 2,000 mg/kg

#### Inhalation

No applicable information available.

#### Dermal

Type of value: LD50  
Species: rat  
Value: > 2,000 mg/kg

#### Assessment other acute effects

Assessment of STOT single:  
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Origin of data: expert judgement

#### Irritation / corrosion

Assessment of irritating effects: No irritation is expected under intended use and appropriate handling.

#### Sensitization

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 7/9  
(30356400/SDS\_GEN\_CA/EN)

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect. No applicable information available.

### Aspiration Hazard

No aspiration hazard expected.

## Chronic Toxicity/Effects

### Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

### Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

### Carcinogenicity

Assessment of carcinogenicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

### Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

### Other Information

No experimental evidence available for genotoxicity in vitro (Ames test negative).

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

### Medical conditions aggravated by overexposure

Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

LC50 (48 h) > 100 mg/l, Brachydanio rerio

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 1 mg/l, Daphnia magna

# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 8/9  
(30356400/SDS\_GEN\_CA/EN)

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C activated sludge/EC20: > 1,000 mg/l

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Poorly biodegradable.

#### Elimination information

35 % DOC reduction (28 d) (OECD Guideline 302 B) (activated sludge) Poorly eliminated from water.

1 % DOC reduction (3 h) (OECD Guideline 302 B) (activated sludge)

### Bioaccumulative potential

#### Assessment bioaccumulation potential

Does not significantly accumulate in organisms.

#### Bioaccumulation potential

Significant accumulation in organisms is not to be expected.

### Mobility in soil

#### Assessment transport between environmental compartments

Adsorption to solid soil phase is not expected.

### Additional information

#### Sum parameter

Biochemical oxygen demand (BOD) Incubation period 5 d:

Biochemical oxygen demand (BOD) Incubation period 10 d:

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

Other ecotoxicological advice:

The product has not been tested. Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Do not discharge substance/product into sewer system. Incinerate or dispose of in a licensed facility.

### **Container disposal:**

Do not reuse empty containers. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove.



# Safety Data Sheet

## PLURACOL® 1578 POLYOL

Revision date : 2018/09/28  
Version: 6.0

Page: 9/9  
(30356400/SDS\_GEN\_CA/EN)

---

### 14. Transport Information

**Land transport**  
TDG

Not classified as a dangerous good under transport regulations

**Sea transport**  
IMDG

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory Information

#### Federal Regulations

**Registration status:**

Chemical                  DSL, CA      released / listed

**NFPA Hazard codes:**

Health: 1                  Fire: 1                  Reactivity: 0                  Special:

---

### 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations

SDS Prepared on: 2018/09/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

PLURACOL is a registered trademark of BASF Canada or BASF SE  
END OF DATA SHEET